

**DueList Report****CL600-2B16****S/N 5557 VH-SCR**

OWNER: BEZZA HOLDINGS PTY LTD
ADDRESS: 98 FORREST STREET
COTTESLOE WA 6011
OFFICE:
FAX:

OPERATOR: AUSTRALIAN CORPORATE JET
CENTRES P/L
ADDRESS: PO BOX 4022
ESSENDON AIRPORT VIC 3041
OFFICE: 03-9094-3759
FAX: 03-9094-3761

ANALYST: SAICHANDU BATCHU +91-40-30275000 (OFFICE)
EMAIL: SAICHANDU.BATCHU@CAMPSYSTEMS.COM +1-631-588-3200 (MAIN)
WWW.CAMPSYSTEMS.COM

PROJECTED: 24 MOS. to 07/09/2028

AIRCRAFT	SERIAL / REGNO: 5557/VH-SCR	MODEL: CL600-2B16	MANUFACTURER: BOMBARDIER AVIATION
CERTIFICATION DATE: 06-FEB-2003		LAST ACTUALS:	PROJECTED:
		5901.4 A/C HRS as of 02-JUL-2026	6501.40
		2365 AFL as of 02-JUL-2026	2605
		7835 APH as of 23-JUN-2026	8195
APU	SERIAL / PART: P-584C/3800804-1	MODEL: GTCP 36-150 (CL)	MANUFACTURER: HONEYWELL
INSTALLED ON: 09-JUL-2007		LAST ACTUALS:	PROJECTED:
4844 APU HRS 0 A/C HRS		7835 APU HRS as of 23-JUN-2026	8195.48
0 APUS		0 APUS as of 01-DEC-2025	0
ENGINE NO. 1	SERIAL / PART: 873661/6089T11G01	MODEL: CF-34-3B (CIMMS)	MANUFACTURER: GENERAL ELECTRIC
INSTALLED ON: 06-FEB-2003		LAST ACTUALS:	PROJECTED:
0 ENG. HRS 0 A/C HRS		5901.4 ENG. HRS as of 02-JUL-2026	6501.40
0 ENC		2365 ENC as of 02-JUL-2026	2605
ENGINE NO. 2	SERIAL / PART: 873660/6089T11G01	MODEL: CF-34-3B (CIMMS)	MANUFACTURER: GENERAL ELECTRIC
INSTALLED ON: 06-FEB-2003		LAST ACTUALS:	PROJECTED:
0 ENG. HRS 0 A/C HRS		5901.4 ENG. HRS as of 02-JUL-2026	6501.40
0 ENC		2365 ENC as of 02-JUL-2026	2605



New Requirement/Flagged Items

Operator Review and Action Required

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

These tasks or requirements have been added newly to your aircraft status. Please review them and approve or modify as appropriate. Please pay particular attention to the Base and Next Due Times for these tasks. It is important to note that any task that has insufficient information (marked by ?), will never come due unless the necessary information is provided by you.

PN & SN	Effective Date	Unit	Interval	Base Time		Next Due (ENG/APU) A/C	Disposition
				Current	Change To		
CI64-260626-MPD TR	REVIEW BOMBARDIER AVIATION CL-604 MAINTENANCE PLANNING DOCUMENT (MPD) REV 36 (TR-375) DATED 26-JUN-2026					Service	ATA:00
	26-Jun-26	MOS	-	26-Jun-26	_____		REQUIREMENT CHANGE FORMS
		HRS			_____		
		AFL			_____		
NEW REQUIREMENT ADDED ON 02-JUL-26. RENEW BASE TIMES TO ENSURE CORRECT DUE TIMES.				REF: RCF 00			
CI64-260626-TLMC TR	REVIEW BOMBARDIER AVIATION CL-604 TIME LIMITS / MAINTENANCE CHECKS (TLMC) REV 35 (TR 5-2-80) AND MAINTENANCE PLANNING DOCUMENT (MPD) REV 36 (TR-375) DATED 26-JUN-2026					Service	ATA:00
	26-Jun-26	MOS	-	26-Jun-26	_____		REQUIREMENT CHANGE FORMS
		HRS			_____		
		AFL			_____		
NEW REQUIREMENT ADDED ON 02-JUL-26. RENEW BASE TIMES TO ENSURE CORRECT DUE TIMES.				REF: RCF 00			

Name: _____ Signature: _____ Cert.# _____ Date: _____

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

AFL Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
72-CUS-001 ^U		PERFORM ENGINE TREND DOWNLOAD						Service ATA:72
	AFL	40 (+10)		2365	2405	2415	40 (+10)	06-Nov-2026(6)
	MOS			18-Jun-26				
	HRS			5901.4				
Disposition: CUSTOMER CODE			REF:					
FAA 2024-03-06 PARA (I) LH		PERFORM THE NDT INSPECTION FOR CRACKING AND DAMAGE OF THE LH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	AFL	900			2457 * (M)		92	14-Apr-2027
	MOS			EFF				
	HRS							
Disposition: MANDATORY			REF: AD					
FAA 2024-03-06 PARA (I) RH		PERFORM THE NDT INSPECTION FOR CRACKING AND DAMAGE OF THE RH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	AFL	900			2457 * (M)		92	14-Apr-2027
	MOS			EFF				
	HRS							
Disposition: MANDATORY			REF: AD					
SB 604-32-030 REV 01 PART C		ACCOMPLISH SPECIAL CHECK - MAIN LANDING GEAR - LUBRICATION AND INSPECTION OF LH/RH MAIN LANDING GEAR (MLG) SHOCK STRUT LOWER PIN 19146-3, SERVICE BULLETIN NONDESTRUCTIVE TESTING (NDT) INSPECTION OF LH/RH MLG SHOCK STRUT LOWER PIN						Bulletin ATA:32
	AFL	900		EFF	2457 * (M)		92	14-Apr-2027
	MOS							
	HRS							
Disposition: RECOMMENDED			REF: BULLETINS					
TCCA CF-2023-32 PART III LH		LANDING GEAR - NDT INSPECTION OF THE LH MLG SHOCK STRUT LOWER PIN LANDING GEAR - NDT INSPECTION OF THE LH MLG SHOCK STRUT LOWER PIN						AD ATA:32
	AFL	900			2457 (M)		92	14-Apr-2027
	MOS							
	HRS							
Disposition: MANDATORY			REF: AD					
TCCA CF-2023-32 PART III RH		LANDING GEAR - NDT INSPECTION OF THE RH MLG SHOCK STRUT LOWER PIN LANDING GEAR - NDT INSPECTION OF THE RH MLG SHOCK STRUT LOWER PIN						AD ATA:32
	AFL	900			2457 (M)		92	14-Apr-2027
	MOS							
	HRS							
Disposition: MANDATORY			REF: AD					



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

AFL Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
56-10-00-102		DETAILED INSPECTION OF THE SIDE WINDOW -			4 BUSHING HOLES (AWL*)			Service ATA:56
	AFL	300		2173	2473		108	01-Jun-2027
	MOS			06-Feb-23				
	HRS			5392.2				
Disposition: AIRWORTHINESS		REF: AMM 56 10 01 220 802						
53-30-00-131		DETAILED INSPECTION OF THE INTERCOSTALS AND CLIPS - FS621 TO FS625.3, PRESSURE BULKHEAD VERTICAL STIFFENERS - FS621, AND THE STIFFENING ANGLES ON THE ENGINE SUPPORT BEAM - FS625.3 (AWL*)						Service ATA:53
	AFL	690		1806	2496		131	10-Aug-2027
	MOS			16-Aug-17				
	HRS			4487				
Disposition: AIRWORTHINESS		REF: AMM 53 30 01 220 840						
57-10-00-128		SPECIAL DETAILED INSPECTION OF LOWER WING PLANK - WS163 STRINGER 15 (AWL*)						Service ATA:57
	AFL	T:2565		0	2565		200	08-Mar-2028
	MOS		TAC:0					
	HRS			0				
Disposition: AIRWORTHINESS		REF: NDT ET-57-20-018						



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
FAA 2010-14-02 PARA (F)(4)		CHECK THE PART NUMBER OF THE INSTALLED ADG, INITIAL AND SUBSEQUENT REPEAT FLUORESCENT PENETRANT INSPECTIONS, RE-IDENTIFICATION (WHERE APPLICABLE) BEFORE FURTHER FLIGHT AFTER EACH TEST, DO A FLUORESCENT PENETRANT INSPECTION OF THE ADG STRUT FOR CRACKS, AND REPLACE THE ADG IF ANY CRACK IS FOUND.						AD ATA:24
	MOS	24		19-Jul-24	19-Jul-26		11 d	19-Jul-2026
	HRS	1600		5620.4	7220.4		1319	
	AFL			2247				
Disposition: MANDATORY			REF:					
TCCA CF-2009-24 PART III		PERFORM AIR DRIVEN GENERATOR - STRUT CRACKING. REPEAT FLUORESCENT PENETRANT INSPECTIONS.						AD ATA:24
	MOS	24		19-Jul-24	19-Jul-26		11 d	19-Jul-2026
	HRS	1600		5620.4	7220.4		1319	
	AFL			2247				
Disposition: MANDATORY			REF: AD					
24-23-00-101		OPERATIONAL TEST AIR DRIVEN GENERATOR (ADG). (CMR*)						Service ATA:24
	MOS	24		25-Jul-24	25-Jul-26		17 d	25-Jul-2026
	HRS	1600		5620.4	7220.4		1319	
	AFL			2247				
			REF: AMM 24 23 01 710 801					
12-CUS-001 ^U		GENERAL SERVICING						Package ATA:12
	MOS	3 (+14d/-14d)		27-May-26	27-Aug-26	10-Sep-26	50 d (+14)	27-Aug-2026(8)
	HRS							
	AFL							
Disposition: CUSTOMER CODE			REF:					
350013-701 ^U		CHECK INTEGRITY OF SEALED CONTAINER - FWD CABINET PBE #1						Service ATA:25
	MOS	3		12-Jun-26	12-Sep-26		66 d	12-Sep-2026(8)
	HRS			5901.4				
	AFL			2365				
Disposition: CUSTOMER OPERATIONS REQUIREMENT			REF:					
350013-702 ^U		CHECK INTEGRITY OF SEALED CONTAINER - AFT CABINET PBE #2						Service ATA:25
	MOS	3		12-Jun-26	12-Sep-26		66 d	12-Sep-2026(8)
	HRS			5901.4				
	AFL			2365				
Disposition: CUSTOMER OPERATIONS REQUIREMENT			REF:					



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
38-00-TUC-9062 ^U		AIR PRESS REGULATOR - VERIFY SYSTEM REGULATING TO 20-22 PSI						Service ATA:38
	MOS	3		25-Jun-26	25-Sep-26		79 d	25-Sep-2026(8)
	HRS	100		5901.4	6001.4		100	
	AFL			2365				
Disposition: STLMC			REF:					
05-CUS-9002 ^U		CARRY OUT AIRCRAFT EXTERIOR POLISH ALL PAINTEND SUFACES						Service ATA:05
	MOS	12 (+1m/-1m)	Adj:-47d	18-Dec-25	01-Nov-26	01-Dec-26	116 d (+30)	01-Nov-2026(2)
	HRS			5834.7				
	AFL			2347				
Disposition: CUSTOMER OPERATIONS REQUIREMENT			REF:					
31-CUS-001 ^U		INSPECT AUSTRALIAN FDR FUNCTIONAL CHECK REFERENCE ADVISORY CIRCULAR AC21-24V1.1 (TABLE 2)						Service ATA:31
	MOS	12		13-Nov-25	13-Nov-26		128 d	13-Nov-2026(2)
	HRS	3000		5807.5	8807.5		2906.1	
	AFL			2338				
Disposition: CUSTOMER CODE			REF:					
05-CUS-9001 ^U		CARRY OUT BRITE WORK TREATMENT WITH XYLON APPLICATION						Service ATA:05
	MOS	6 (+1m/-1m)	Adj:-17d	18-Jun-26	01-Dec-26	01-Jan-27	146 d (+31)	01-Dec-2026(4)
	HRS			5901.4				
	AFL			2365				
Disposition: CUSTOMER OPERATIONS REQUIREMENT			REF:					
08-00-CUS-9003 ^U		REWEIGH AIRCRAFT IAW CASA CAO 100.7						Service ATA:08
	MOS	36		17-Jul-23	01-Dec-26 (M)		146 d	01-Dec-2026
	HRS			5457.5				
	AFL			2192				
Disposition: CUSTOMER CODE			REF:					
344211-701A ^U		UPDATE EGPWS TERRAIN DATA BASE TO LATEST VERSION						Service ATA:34
PN:VERSION	MOS	6 (+2m/-2m)		09-Jun-26	09-Dec-26	09-Feb-27	154 d (+62)	09-Dec-2026(4)
SN:652	HRS			5901.4				
	AFL			2365				
Disposition: CUSTOMER CODE			REF:					
259670-CUS-001		CREW AND PASSENGER LIFE VESTS - VISUAL CONDITION CHECK						AD ATA:25
	MOS	12 (+1m/-1m)		12-Dec-25	12-Dec-26	12-Jan-27	157 d (+31)	12-Dec-2026(2)
	HRS			5834.7				
	AFL			2347				
Disposition: MANDATORY			REF: AD					

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
050040		6 MONTH CHECK						Package ATA:05
	MOS	6 (+10%/-10%)	Adj:-7d	25-Jun-26	18-Dec-26	05-Jan-27	163 d (+18)	18-Dec-2026(4)
	HRS			5901.4				
	AFL			2365				
REF: GENERIC NO REF								
FAA 2024-03-06 PARA (G) LH		LUBRICATE THE LH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	MOS	12		18-Dec-25	18-Dec-26		163 d	17-Dec-2026(3)
	HRS	200		5834.7	6034.7		133.3	
	AFL			2347				
Disposition: MANDATORY REF: AD								
FAA 2024-03-06 PARA (G) RH		LUBRICATE THE RH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	MOS	12		18-Dec-25	18-Dec-26		163 d	17-Dec-2026(3)
	HRS	200		5834.7	6034.7		133.3	
	AFL			2347				
Disposition: MANDATORY REF: AD								
SB 604-32-030 REV 01 PART A		ACCOMPLISH SPECIAL CHECK - MAIN LANDING GEAR - LUBRICATION AND INSPECTION OF LH/RH MAIN LANDING GEAR (MLG) SHOCK STRUT LOWER PIN 19146-3, SERVICE BULLETIN LUBRICATION OF LH/RH MLG SHOCK STRUT LOWER PIN						Bulletin ATA:32
	MOS	12		18-Dec-25	18-Dec-26		163 d	17-Dec-2026(3)
	HRS	200		5834.7	6034.7		133.3	
	AFL			2347				
Disposition: RECOMMENDED REF: BULLETINS								
TCCA CF-2023-32 PART I LH		LANDING GEAR - LUBRICATION OF THE LEFT HAND (LH) MLG SHOCK STRUT LOWER PIN LANDING GEAR - LUBRICATION OF THE LEFT HAND (LH) MLG SHOCK STRUT LOWER PIN						AD ATA:32
	MOS	12		18-Dec-25	18-Dec-26		163 d	17-Dec-2026(3)
	HRS	200		5834.7	6034.7		133.3	
	AFL			2347				
Disposition: MANDATORY REF: AD								
TCCA CF-2023-32 PART I RH		LANDING GEAR - LUBRICATION OF THE RIGHT HAND (RH) MLG SHOCK STRUT LOWER PIN LANDING GEAR - LUBRICATION OF THE RIGHT HAND (RH) MLG SHOCK STRUT LOWER PIN						AD ATA:32
	MOS	12		18-Dec-25	18-Dec-26		163 d	17-Dec-2026(3)
	HRS	200		5834.7	6034.7		133.3	
	AFL			2347				
Disposition: MANDATORY REF: AD								



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
CASA CAO100.5 APPENDIX 1 ITEM 10		APPLIANCE AD - EMERGENCY EXIT FUNCTION CHECK						AD ATA:52
	MOS	6		24-Jun-26	24-Dec-26		169 d	24-Dec-2026(4)
	HRS			5901.4				
	AFL			2365				
REF: MSC 52-21-00								
38-00-TUC-9056 U		CHECK VALVES-OPS CHCK-INTERNAL CORROSION-REPLACE IF FOUND						Service ATA:38
	MOS	6 (+1m/-1m)		25-Jun-26	25-Dec-26	25-Jan-27	170 d (+31)	25-Dec-2026(4)
	HRS	200		5901.4	6101.4		200	
	AFL			2365				
Disposition: STLMC			REF:					
38-00-TUC-9072 U		AIR PRESSURE REGULATOR - CHECK FOR INTERNAL CORROSION/REPLACE						Service ATA:38
	MOS	6 (+1m/-1m)		25-Jun-26	25-Dec-26	25-Jan-27	170 d (+31)	25-Dec-2026(4)
	HRS	200		5901.4	6101.4		200	
	AFL			2365				
Disposition: STLMC			REF:					
38-00-TUC-9075 U		AIR SUPPLY - REPLACE BLEED AIR FILTER ELEMENT						Service ATA:38
	MOS	6 (+1m/-1m)		25-Jun-26	25-Dec-26	25-Jan-27	170 d (+31)	25-Dec-2026(4)
	HRS	200		5901.4	6101.4		200	
	AFL			2365				
Disposition: STLMC			REF:					
352031-701 U		(FWD WARDROBE) FIRST AID KIT						Component ATA:35
PN:AFAK 1.0	MOS	DUE	TSO:0	17-Dec-25	31-Dec-26 (M)		176 d	31-Dec-2026
SN:072817017	HRS		TSO:0	5834.7				
	AFL		TSO:0	2347				
REF:								
23-CUS-9001 U		COCKPIT VOICE RECORDER [CVR] - FUNCTION CHECK IAW CAO100.5 APPENDIX 1 ITEM 10						Service ATA:23
	MOS	24		16-Jan-25	16-Jan-27		192 d	16-Jan-2027
	HRS			5670.5				
	AFL			2267				
Disposition: CAO 100.5 APPENDIX 1 REQUIREMENT			REF:					
FAA 2024-03-06 PARA (H) LH		DVI FOR CRACKING AND DAMAGE OF THE LH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	MOS	24		16-Jan-25	16-Jan-27		192 d	16-Jan-2027(2)
	HRS	400		5670.5	6070.5		169.1	
	AFL			2267				
Disposition: MANDATORY			REF: AD					

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
FAA 2024-03-06 PARA (H) RH		DVI FOR CRACKING AND DAMAGE OF THE RH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	MOS	24		16-Jan-25	16-Jan-27		192 d	16-Jan-2027(2)
	HRS	400		5670.5	6070.5		169.1	
	AFL			2267				
Disposition: MANDATORY			REF: AD					
SB 604-32-030 REV 01 PART B		ACCOMPLISH SPECIAL CHECK - MAIN LANDING GEAR - LUBRICATION AND INSPECTION OF LH/RH MAIN LANDING GEAR (MLG) SHOCK STRUT LOWER PIN 19146-3, SERVICE BULLETIN DVI INSPECTION OF LH/RH MLG SHOCK STRUT LOWER PIN						Bulletin ATA:32
	MOS	24		16-Jan-25	16-Jan-27		192 d	16-Jan-2027(2)
	HRS	400		5670.5	6070.5		169.1	
	AFL			2267				
Disposition: RECOMMENDED			REF: BULLETINS					
TCCA CF-2023-32 PART II LH		LANDING GEAR - DVI OF THE LH MLG SHOCK STRUT LOWER PIN LANDING GEAR - DVI OF THE LH MLG SHOCK STRUT LOWER PIN						AD ATA:32
	MOS	24		16-Jan-25	16-Jan-27		192 d	16-Jan-2027(2)
	HRS	400		5670.5	6070.5		169.1	
	AFL			2267				
Disposition: MANDATORY			REF: AD					
TCCA CF-2023-32 PART II RH		LANDING GEAR - DVI OF THE RH MLG SHOCK STRUT LOWER PIN LANDING GEAR - DVI OF THE RH MLG SHOCK STRUT LOWER PIN						AD ATA:32
	MOS	24		16-Jan-25	16-Jan-27		192 d	16-Jan-2027(2)
	HRS	400		5670.5	6070.5		169.1	
	AFL			2267				
Disposition: MANDATORY			REF: AD					
35-00-TUC-9034 ^U		THERAPEUTIC OUTLET & NEBULIZER ASSY - RECERTIFY MASK ASSEMBLY						Service ATA:35
	MOS	36		25-Jan-24	25-Jan-27		201 d	25-Jan-2027
	HRS			5528.1				
	AFL			2216				
Disposition: STLMC			REF:					
35-00-TUC-9164 ^U		PASSENGER OXYGEN CONTROL PANEL FUNCTIONAL CHECK						Service ATA:35
	MOS	36		25-Jan-24	25-Jan-27		201 d	25-Jan-2027
	HRS			5528.1				
	AFL			2216				
Disposition: STLMC			REF:					



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
050048		48 MONTH CHECK						Package ATA:05
	MOS	48 (+1m/-1m)	Adj:16d	06-Feb-23	22-Feb-27	22-Mar-27	229 d (+28)	22-Feb-2027
	HRS			5392.2				
	AFL			2173				
REF: GENERIC NO REF								
050096		96 MONTH CHECK						Package ATA:05
	MOS	96 (+1m/-1m)		22-Feb-19	22-Feb-27	22-Mar-27	229 d (+28)	22-Feb-2027
	HRS			4768.4				
	AFL			1907				
REF: GENERIC NO REF								
321111-001A		RESTORATION (OVERHAUL) LEFT MAIN GEAR ASSEMBLY (32-00-01-217)						Service ATA:32
PN:604-85001-27	MOS	96 (+1m/-1m)		22-Feb-19	22-Feb-27	22-Mar-27	229 d (+28)	22-Feb-2027
SN:DCL258/02	HRS			4768.4				
	AFL			1907				
Disposition: OVERHAUL REF: AMM 32 11 00 280 801								
321111-002A		RESTORATION (OVERHAUL) RIGHT MAIN GEAR ASSEMBLY (32-00-01-217)						Service ATA:32
PN:604-85001-28	MOS	96 (+1m/-1m)		22-Feb-19	22-Feb-27	22-Mar-27	229 d (+28)	22-Feb-2027
SN:DCL260/02	HRS			4768.4				
	AFL			1907				
Disposition: OVERHAUL REF: AMM 32 11 00 280 801								
322100-001A		RESTORATION (OVERHAUL) NOSE LANDING GEAR ASSY (32-00-01-218)						Service ATA:32
PN:604-85002-31	MOS	96 (+1m/-1m)		22-Feb-19	22-Feb-27	22-Mar-27	229 d (+28)	22-Feb-2027
SN:DCL262/02	HRS			4768.4				
	AFL			1907				
Disposition: OVERHAUL REF: AMM 32 21 01 280 801								
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K1CE) (AWL*)						Service ATA:24
PN:PN	MOS	T:24		EFF	25-Feb-27 *		232 d	25-Feb-2027
SN:UNKNOWN	HRS	T:800		EFF	6484.57 *		583.2	
	AFL							
Disposition: LIFE LIMIT REF: AMM 24 01 00 961 801								
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K2CE) (AWL*)						Service ATA:24
PN:PN	MOS	T:24		EFF	25-Feb-27 *		232 d	25-Feb-2027
SN:UNKNOWN	HRS	T:800		EFF	6484.57 *		583.2	
	AFL							
Disposition: LIFE LIMIT REF: AMM 24 01 00 961 801								

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K3CE) (AWL*)						Service ATA:24
PN:PN	MOS	T:24		EFF	25-Feb-27 *		232 d	25-Feb-2027
SN:UNKNOWN	HRS	T:800		EFF	6484.57 *		583.2	
	AFL							
Disposition: LIFE LIMIT		REF: AMM 24 01 00 961 801						
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K4CE) (AWL*)						Service ATA:24
PN:PN	MOS	T:24		EFF	25-Feb-27 *		232 d	25-Feb-2027
SN:UNKNOWN	HRS	T:800		EFF	6484.57 *		583.2	
	AFL							
Disposition: LIFE LIMIT		REF: AMM 24 01 00 961 801						
32-51-04-101		DISCARD OF THE NOSEWHEEL-STEERING CONTROL POTENTIOMETER COUPLING SETSCREWS, PART NO. B0201102-2-220 (POST SB 604-32-033). (AWL*)						Service ATA:32
PN:PN	MOS	T:A/R		06-Feb-03	22-Mar-27 (M)		257 d	22-Mar-2027
SN:UNKNOWN	HRS			0				
	AFL			0				
Disposition: LIFE LIMIT		REF: AMM 32 51 04 961 801						
FAA 2026-07-01 PARA (G)		REPLACEMENT OF UNIVERSAL COUPLING AND NOSEWHEEL STEERING RUDDER PEDAL POTENTIOMETER UNIVERSAL COUPLING SETSCREWS						AD ATA:32
	MOS	T:36		EFF	22-Mar-27 * (M)		257 d	22-Mar-2027
	HRS	T:1400		EFF	7327.5 *		1426.1	
	AFL							
Disposition: MANDATORY		REF: AD						
SB 604-32-033 REV 01		MODIFICATION - NOSEWHEEL STEERING - REPLACEMENT OF POTENTIOMETER UNIVERSAL COUPLING (T16-6) SETSCREWS, SERVICE BULLETIN						Bulletin ATA:32
	MOS	T:36		EFF	22-Mar-27 * (M)		257 d	22-Mar-2027
	HRS							
	AFL							
Disposition: RECOMMENDED		REF: BULLETINS						
TCCA CF-2024-12 R01 PART I		REPLACEMENT OF NOSEWHEEL STEERING POTENTIOMETER UNIVERSAL COUPLING SETSCREWS						AD ATA:32
	MOS	T:36		EFF	22-Mar-27 * (M)		257 d	22-Mar-2027
	HRS	T:1400		EFF	6995.9 * (M)		1094.5	
	AFL							
Disposition: MANDATORY		REF: AD						



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
TCCA CF-2024-12 R01 PART II (B)	PERFORM THE INITIAL REMOVAL AND REPLACEMENT OF THE COUPLING SETSCREWS							AD ATA:32
	MOS	T:96			22-Mar-27 (M)		257 d	22-Mar-2027
	HRS							
	AFL							
Disposition: MANDATORY			REF: AD					
35-00-TUC-9165 ^U	PASSENGER OXYGEN CONTROL PANEL OVERHAUL							Service ATA:35
	MOS	72		13-Apr-21	13-Apr-27		279 d	13-Apr-2027
	HRS			5143.9				
	AFL			2068				
Disposition: STLMC			REF:					
FAA 2022-09-01 PARA (G)	ACCOMPLISH AN INSPECTION OF THE POTABLE WATER-LINE RIBBON HEATER INSTALLATION AND INSULATION TO DETECT ANY DISCREPANCY, AND ALL APPLICABLE CORRECTIVE ACTIONS AND OTHER SPECIFIED ACTIONS (FOR AIRPLANES WITH A SERIAL NUMBER LISTED IN SECTION 1.A OF THE APPLICABLE SERVICE INFORMATION SPECIFIED IN FIGURE 1 TO PARA (G))							AD ATA:30
	MOS	T:72		EFF	15-Apr-27 * (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: MANDATORY			REF: AD					
FAA 2022-09-01 PARA (H)	ACCOMPLISH APPLICABLE ACTIONS INCLUDING AN INSPECTION FOR DISCREPANCIES OF THE POTABLE WATER-LINE RIBBON HEATER AND REPAIR OF ANY DISCREPANT POTABLE WATER-LINE RIBBON HEATERS USING A METHOD APPROVED (FOR AIRPLANES WITH A SERIAL NUMBER THAT IS NOT LISTED IN SECTION 1.A OF THE SERVICE INFORMATION SPECIFIED IN FIGURE 1 TO PARA (G), AND FOR BOMBARDIER MODEL CL-600-1A11 AIRPLANES)							AD ATA:30
	MOS	T:72		EFF	15-Apr-27 * (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: MANDATORY			REF: AD					
SB 604-30-007 REV 01 PART A	ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN INSPECTION OF RIBBON HEATER INSTALLATION AND INSULATION (MANDATORY)							Bulletin ATA:30
	MOS	T:72		EFF	15-Apr-27 * (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED			REF: BULLETINS					
SB 604-30-007 REV 01 PART B	ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN REMOVAL OF RIBBON HEATER INSULATION (IF NECESSARY)							Bulletin ATA:30
	MOS	T:72			15-Apr-27 (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED			REF: BULLETINS					

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
SB 604-30-007 REV 01 PART C		ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN REPLACEMENT OF RIBBON HEATER (IF NECESSARY)						Bulletin ATA:30
	MOS	T:72			15-Apr-27 (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED		REF: BULLETINS						
SB 604-30-007 REV 01 PART D		ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN INSTALLATION OF NEW RIBBON HEATER INSULATION (IF NECESSARY)						Bulletin ATA:30
	MOS	T:72			15-Apr-27 (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED		REF: BULLETINS						
SB 604-30-007 REV 01 PART E		ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN ADDITION OF RIBBON HEATER PIGTAIL WIRE IDENTIFICATION (MANDATORY)						Bulletin ATA:30
	MOS	T:72		EFF	15-Apr-27 * (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED		REF: BULLETINS						
SB 604-30-007 REV 01 PART F		ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN FUSE INSTALLATION (MANDATORY)						Bulletin ATA:30
	MOS	T:72		EFF	15-Apr-27 * (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED		REF: BULLETINS						
SB 604-30-007 REV 01 PART G		ACCOMPLISH SPECIAL CHECK/MODIFICATION - POTABLE WATER SYSTEM/WATER LINE HEATERS - WATER LINE RIBBON HEATERS WIRING, SERVICE BULLETIN TESTING (MANDATORY)						Bulletin ATA:30
	MOS	T:72		EFF	15-Apr-27 * (M)		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: RECOMMENDED		REF: BULLETINS						
TCCA CF-2021-13		ICE AND RAIN PROTECTION - POTABLE WATER LINE RIBBON HEATER FIRE RISK						AD ATA:30
	MOS	T:72		EFF	15-Apr-27 *		281 d	15-Apr-2027
	HRS							
	AFL							
Disposition: MANDATORY		REF: AD						

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
05-00-CUS-9001 ^U		PERFORM ANNUAL REVIEW OF CASA SYSTEM OF MAINTENANCE						Service ATA:05
	MOS	12		21-Apr-26	21-Apr-27		287 d	21-Apr-2027(2)
	HRS			5883.4				
	AFL			2360				
Disposition: CUSTOMER CODE			REF:					
05-00-CUS-9003 ^U		PERFORM ANNUAL REVIEW OF MINIMUM EQUIPMENT LIST						Service ATA:05
	MOS	12		21-Apr-26	21-Apr-27		287 d	21-Apr-2027(2)
	HRS			5883.4				
	AFL			2360				
Disposition: CUSTOMER CODE			REF:					
351042-701A ^U		OXYGEN PORTABLE BOTTLE 35-10-00-9050 HYDRO TEST PORTABLE O2 BOTTLE						Service ATA:35
PN:5600-9C1A-Y0N	MOS	60		01-May-22	01-May-27		297 d	01-May-2027
SN:P22061502	HRS							
	AFL							
Disposition: STLMC			REF:					
25-60-00-202		DISCARD OF THE EMERGENCY LOCATOR TRANSMITTER UNIT (ELT) BATTERY						Service ATA:25
PN:452-0133	MOS	DUE		10-May-22	31-May-27 (M)		327 d	31-May-2027
SN:394549-005	HRS			5248.2				
	AFL			2117				
Disposition: LIFE LIMIT			REF: AMM 25 62 01 960 801					
259670-711A ^U		VISUAL INSPECTION INFANT LIFE VEST #1						Service ATA:25
PN:P0640-101	MOS	12		12-Jun-26	12-Jun-27		339 d	12-Jun-2027(2)
SN:24020311142	HRS			5901.4				
	AFL			2365				
			REF:					
259670-712A ^U		VISUAL INSPECTION INFANT LIFE VEST #2						Service ATA:25
PN:P0640-101	MOS	12		12-Jun-26	12-Jun-27		339 d	12-Jun-2027(2)
SN:24020311141	HRS			5901.4				
	AFL			2365				
			REF:					
050042		12 MONTH CHECK						Package ATA:05
	MOS	12 (+1m/-1m)		23-Jun-26	23-Jun-27	23-Jul-27	350 d (+30)	23-Jun-2027(2)
	HRS			5901.4				
	AFL			2365				
			REF: GENERIC NO REF					

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
30-40-00-301		DETAILED INSPECTION OF THE WINDSHIELD/SIDE WINDOW AERODYNAMIC SEAL.NOTE: WHICHEVER INTERVAL COMES FIRST						Service ATA:30
	MOS	12 (+1m/-1m)		23-Jun-26	23-Jun-27	23-Jul-27	350 d (+30)	23-Jun-2027(2)
	HRS	600 (+40/-40)		5901.4	6501.4	6541.4	600 (+40)	
	AFL			2365				
Disposition: OPTIONAL		REF: AMM 56 10 01 220 804						
237121-001B		OPERATIONAL TEST OF THE COCKPIT VOICE RECORDER (CVR)UNDERWATER LOCATING DEVICE (ULD)						Service ATA:23
PN:DK120	MOS	12 (+1m/-1m)	Adj:18d	23-Jun-26	11-Jul-27	11-Aug-27	368 d (+31)	11-Jul-2027
SN:NT62000	HRS			5901.4				
	AFL			2365				
		REF: AMM 23 71 03 710 801						
26-20-00-205		COCKPIT PORTABLE FIRE EXTINGUISHER BOTTLE - FUNCTIONAL TEST (WEIGHT CHECK)						Service ATA:26
PN:30H673	MOS	24 (+1m/-1m)		11-Jul-25	11-Jul-27	11-Aug-27	368 d (+31)	11-Jul-2027
SN:G-39957754	HRS			5770.1				
	AFL			2323				
Disposition: MRB		REF: AMM 26 23 01 720 802						
26-20-00-205 ^U		FWD CABIN PORTABLE FIRE EXTINGUISHER BOTTLE - FUNCTIONAL TEST (WEIGHT CHECK)						Service ATA:26
PN:30H673	MOS	24		11-Jul-25	11-Jul-27		368 d	11-Jul-2027
SN:A-24024591	HRS			5770.1				
	AFL			2323				
		REF:						
26-20-00-205 ^U		AFT #1 CABIN PORTABLE FIRE EXTINGUISHER BOTTLE - FUNCTIONAL TEST (WEIGHT CHECK)						Service ATA:26
PN:466090	MOS	24		11-Jul-25	11-Jul-27		368 d	11-Jul-2027
SN:W-482161	HRS			5770.1				
	AFL			2323				
		REF:						
26-20-00-205 ^U		AFT #2 CABIN PORTABLE FIRE EXTINGUISHER BOTTLE - FUNCTIONAL TEST (WEIGHT CHECK)						Service ATA:26
PN:466090	MOS	24		11-Jul-25	11-Jul-27		368 d	11-Jul-2027
SN:W-482169	HRS			5770.1				
	AFL			2323				
		REF:						
05-00-CUS-9002 ^U		PERFORM MAINTENANCE RELEASE INSPECTION						Service ATA:00
	MOS	13		26-Jun-26	26-Jul-27		383 d	26-Jul-2027
	HRS	440		5901.4	6341.4		440	
	AFL			2365				
Disposition: CUSTOMER CODE		REF:						

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
342201-701A ^U PERFORM STANDBY COMPASS SWING CAO 108.6								
PN:PAI700-5V	MOS	36		26-Jul-24	26-Jul-27		383 d	Service ATA:34 26-Jul-2027
SN:46211	HRS			5620.4				
	AFL			2247				
REF:								
050046 36 MONTH CHECK								
	MOS	36 (+1m/-1m)		16-Jan-25	16-Jan-28	16-Feb-28	557 d (+31)	Package ATA:05 16-Jan-2028
	HRS			5670.5				
	AFL			2267				
REF: GENERIC NO REF								
26-20-00-208 ^U AFT #1 CABIN PORTABLE FIRE EXTINGUISHER BOTTLE - DETAILED INSPECTION								
PN:466090	MOS	96		13-May-20	13-May-28		675 d	Service ATA:26 13-May-2028
SN:W-482161	HRS							
	AFL							
REF:								
26-20-00-208 ^U AFT #2 CABIN PORTABLE FIRE EXTINGUISHER BOTTLE - DETAILED INSPECTION								
PN:466090	MOS	96		13-May-20	13-May-28		675 d	Service ATA:26 13-May-2028
SN:W-482169	HRS							
	AFL							
REF:								
SB 604-26-006 MODIFICATION - PORTABLE FIRE EXTINGUISHING SYSTEM - INSTALLATION OF NON-HALON FIRE EXTINGUISHER, SERVICE BULLETIN								
	MOS	-		EFF	13-May-28 * (M)		675 d	Bulletin ATA:26 13-May-2028
	HRS							
	AFL							
Disposition: OPTIONAL REF: BULLETINS								
SB 604-26-006 PART A ACCOMPLISH, SERVICE BULLETIN REMOVAL OF HALON FIRE EXTINGUISHER								
	MOS	-		EFF	13-May-28 * (M)		675 d	Bulletin ATA:26 13-May-2028
	HRS							
	AFL							
Disposition: OPTIONAL REF: BULLETINS								
SB 604-26-006 PART B ACCOMPLISH, SERVICE BULLETIN INSTALLATION OF NON-HALON FIRE EXTINGUISHER IN THE COCKPIT								
	MOS	-		EFF	13-May-28 * (M)		675 d	Bulletin ATA:26 13-May-2028
	HRS							
	AFL							
Disposition: OPTIONAL REF: BULLETINS								

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
SB 604-26-006 PART C		ACCOMPLISH, SERVICE BULLETIN INSTALLATION OF NON-HALON FIRE EXTINGUISHER IN THE FORWARD CABIN						Bulletin ATA:26
	MOS	-		EFF	13-May-28 * (M)		675 d	13-May-2028
	HRS							
	AFL							
Disposition: OPTIONAL		REF: BULLETINS						
SB 604-26-006 PART D		ACCOMPLISH, SERVICE BULLETIN INSTALLATION OF FIRE EXTINGUISHER IN THE AFT CABIN						Bulletin ATA:26
	MOS	-		EFF	13-May-28 * (M)		675 d	13-May-2028
	HRS							
	AFL							
Disposition: OPTIONAL		REF: BULLETINS						
SB 604-26-006 PART E		ACCOMPLISH, SERVICE BULLETIN MODIFICATION OF EMERGENCY EQUIPMENT LOCATION PLACARD						Bulletin ATA:26
	MOS	-		EFF	13-May-28 * (M)		675 d	13-May-2028
	HRS							
	AFL							
Disposition: OPTIONAL		REF: BULLETINS						
26-20-00-208 ^U		FWD CABIN PORTABLE FIRE EXTINGUISHER BOTTLE - DETAILED INSPECTION						Service ATA:26
PN:30H673	MOS	96		14-May-20	14-May-28		676 d	14-May-2028
SN:A-24024591	HRS							
	AFL							
		REF:						
72-30-00-224		NO. 1 ENGINE - DO A FUNCTIONAL CHECK OF THE VARIABLE GEOMETRY SYSTEM						Service ATA:72
	MOS	48		23-May-24	23-May-28		685 d	23-May-2028
	HRS			5593.8				
	ENC			2235				
		REF:						
72-30-00-224		NO. 2 ENGINE - DO A FUNCTIONAL CHECK OF THE VARIABLE GEOMETRY SYSTEM						Service ATA:72
	MOS	48		23-May-24	23-May-28		685 d	23-May-2028
	HRS			5593.8				
	ENC			2235				
		REF:						
FAA 2024-03-06 PARA (K) LH		MODIFY THE LH MLG ASSEMBLY AND TEST OF THE MLG SHOCK STRUT ASSEMBLY TO TRAILING ARM ASSEMBLY JOINT						AD ATA:32
	MOS	T:60		EFF	23-May-28 * (M)		685 d	23-May-2028
	HRS							
	AFL							
Disposition: MANDATORY		REF: AD						

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

Calendar Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
FAA 2024-03-06 PARA (K) RH		MODIFY THE RH MLG ASSEMBLY AND TEST OF THE MLG SHOCK STRUT ASSEMBLY TO TRAILING ARM ASSEMBLY JOINT						AD ATA:32
	MOS	T:60		EFF	23-May-28 * (M)		685 d	23-May-2028
	HRS							
	AFL							
Disposition: MANDATORY			REF: AD					
SB 604-32-031 REV 01		MODIFICATION - MAIN LANDING GEAR (MLG) SYSTEM - INTRODUCTION OF IMPROVED DYNAMIC JOINT AT LH/RH MAIN LANDING GEAR (MLG) SHOCK STRUT TO TRAILING ARM, SERVICE BULLETIN						Bulletin ATA:32
	MOS	T:60			23-May-28 (M)		685 d	23-May-2028
	HRS							
	AFL							
Disposition: RECOMMENDED			REF: BULLETINS					
TCCA CF-2023-32 PART V LH		LANDING GEAR - MODIFICATION AND TESTING OF DYNAMIC JOINT AT MLG SHOCK STRUT ASSEMBLY TO TRAILING ARM ASSEMBLY LANDING GEAR - MODIFICATION AND TESTING OF DYNAMIC JOINT AT MLG SHOCK STRUT ASSEMBLY TO TRAILING ARM ASSEMBLY						AD ATA:32
	MOS	T:60		EFF	23-May-28 *		685 d	23-May-2028
	HRS							
	AFL							
Disposition: MANDATORY			REF: AD					
TCCA CF-2023-32 PART V RH		LANDING GEAR - MODIFICATION AND TESTING OF DYNAMIC JOINT AT MLG SHOCK STRUT ASSEMBLY TO TRAILING ARM ASSEMBLY LANDING GEAR - MODIFICATION AND TESTING OF DYNAMIC JOINT AT MLG SHOCK STRUT ASSEMBLY TO TRAILING ARM ASSEMBLY						AD ATA:32
	MOS	T:60		EFF	23-May-28 *		685 d	23-May-2028
	HRS							
	AFL							
Disposition: MANDATORY			REF: AD					
52-20-00-202		FUNCTIONAL TEST EXIT-PULL SIGN						Service ATA:52
	MOS	36 (+1m/-1m)		18-Jun-25	18-Jun-28	18-Jul-28	711 d (+30)	18-Jun-2028
	HRS			5834.7				
	AFL			2347				
			REF: AMM 52 21 07 720 801					
050044		24 MONTH CHECK						Package ATA:05
	MOS	24 (+1m/-1m)		25-Jun-26	25-Jun-28	25-Jul-28	718 d (+30)	25-Jun-2028
	HRS			5901.4				
	AFL			2365				
			REF: GENERIC NO REF					



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
72-20-00-207		NO. 1 ENGINE - DETAILED INSPECTION OF THE MASTER CHIP DETECTOR FOR PARTICLE AND CHIP INDICATION						Service ATA:72
	HRS	100		5834.7	(5934.7)5934.7		33.3	17-Aug-2026(6)
	MOS			12-Dec-25				
	ENC			2347				
REF: AMM 79 21 13 220 801								
72-20-00-207		NO. 2 ENGINE - DETAILED INSPECTION OF THE MASTER CHIP DETECTOR FOR PARTICLE AND CHIP INDICATION						Service ATA:72
	HRS	100		5834.7	(5934.7)5934.7		33.3	17-Aug-2026(6)
	MOS			17-Dec-25				
	ENC			2347				
REF: AMM 79 21 13 220 801								
38-00-TUC-9062 ^U		AIR PRESS REGULATOR - VERIFY SYSTEM REGULATING TO 20-22 PSI						Service ATA:38
	HRS	100		5901.4	6001.4		100	25-Sep-2026(8)
	MOS	3		25-Jun-26	25-Sep-26		79 d	
	AFL			2365				
Disposition: STLMC			REF:					
FAA 2024-03-06 PARA (G) LH		LUBRICATE THE LH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	HRS	200		5834.7	6034.7		133.3	17-Dec-2026(3)
	MOS	12		18-Dec-25	18-Dec-26		163 d	
	AFL			2347				
Disposition: MANDATORY			REF: AD					
FAA 2024-03-06 PARA (G) RH		LUBRICATE THE RH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	HRS	200		5834.7	6034.7		133.3	17-Dec-2026(3)
	MOS	12		18-Dec-25	18-Dec-26		163 d	
	AFL			2347				
Disposition: MANDATORY			REF: AD					
SB 604-32-030 REV 01 PART A		ACCOMPLISH SPECIAL CHECK - MAIN LANDING GEAR - LUBRICATION AND INSPECTION OF LH/RH MAIN LANDING GEAR (MLG) SHOCK STRUT LOWER PIN 19146-3, SERVICE BULLETIN LUBRICATION OF LH/RH MLG SHOCK STRUT LOWER PIN						Bulletin ATA:32
	HRS	200		5834.7	6034.7		133.3	17-Dec-2026(3)
	MOS	12		18-Dec-25	18-Dec-26		163 d	
	AFL			2347				
Disposition: RECOMMENDED			REF: BULLETINS					



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
TCCA CF-2023-32 PART I LH		LANDING GEAR - LUBRICATION OF THE LEFT HAND (LH) MLG SHOCK STRUT LOWER PIN LANDING GEAR - LUBRICATION OF THE LEFT HAND (LH) MLG SHOCK STRUT LOWER PIN						AD ATA:32
	HRS	200		5834.7	6034.7		133.3	17-Dec-2026(3)
	MOS	12		18-Dec-25	18-Dec-26		163 d	
	AFL			2347				
Disposition: MANDATORY		REF: AD						
TCCA CF-2023-32 PART I RH		LANDING GEAR - LUBRICATION OF THE RIGHT HAND (RH) MLG SHOCK STRUT LOWER PIN LANDING GEAR - LUBRICATION OF THE RIGHT HAND (RH) MLG SHOCK STRUT LOWER PIN						AD ATA:32
	HRS	200		5834.7	6034.7		133.3	17-Dec-2026(3)
	MOS	12		18-Dec-25	18-Dec-26		163 d	
	AFL			2347				
Disposition: MANDATORY		REF: AD						
32-51-10-101		FUNCTIONAL TEST OF THE TRANSFER VALVE OF THE STEERING CONTROL MANIFOLD (CMR*)						Service ATA:32
	HRS	T:400		EFF	6045.5 *		144.1	30-Dec-2026
	MOS			EFF				
	AFL							
		REF: AMM 32 51 10 720 801						
24-CUS-001 ^U		INSPECT IDG OIL LEVEL OF NO. 1 ENGINE						Service ATA:24
	HRS	150 (+25/-25)		5901.4	6051.4	6076.4	150 (+25)	06-Jan-2027(4)
	MOS			12-Jun-26				
	AFL			2365				
		REF:						
24-CUS-002 ^U		INSPECT IDG OIL LEVEL OF NO. 2 ENGINE						Service ATA:24
	HRS	150 (+25/-25)		5901.4	6051.4	6076.4	150 (+25)	06-Jan-2027(4)
	MOS			12-Jun-26				
	AFL			2365				
		REF:						
FAA 2023-17-06		FLIGHT CONTROLS - UNCOMMANDED FLAP EXTENSION						AD ATA:27
	HRS	400		5670.5	6070.5		169.1	29-Jan-2027(2)
	MOS			16-Jan-25				
	AFL			2267				
Disposition: MANDATORY		REF: AD						

? - Insufficient Information S - Suppressed Requirement * - Estimated Due(New Requirement)(EFF) - Effective C/W M - Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
FAA 2024-03-06 PARA (H) LH		DVI FOR CRACKING AND DAMAGE OF THE LH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	HRS	400		5670.5	6070.5		169.1	16-Jan-2027(2)
	MOS	24		16-Jan-25	16-Jan-27		192 d	
	AFL			2267				
Disposition: MANDATORY			REF: AD					
FAA 2024-03-06 PARA (H) RH		DVI FOR CRACKING AND DAMAGE OF THE RH MLG SHOCK STRUT LOWER PINS P/N 19146-3						AD ATA:32
	HRS	400		5670.5	6070.5		169.1	16-Jan-2027(2)
	MOS	24		16-Jan-25	16-Jan-27		192 d	
	AFL			2267				
Disposition: MANDATORY			REF: AD					
SB 604-27-040		SPECIAL CHECK - FLAPS - INTRODUCTION OF INITIAL AND REPEAT OPERATIONAL TEST OF THE FLAPS TO VERIFY THE RETRACTION / EXTENSION TIME, SERVICE BULLETIN						Bulletin ATA:27
	HRS	400		5670.5	6070.5		169.1	29-Jan-2027(2)
	MOS			16-Jan-25				
	AFL			2267				
Disposition: RECOMMENDED			REF: BULLETINS					
SB 604-32-030 REV 01 PART B		ACCOMPLISH SPECIAL CHECK - MAIN LANDING GEAR - LUBRICATION AND INSPECTION OF LH/RH MAIN LANDING GEAR (MLG) SHOCK STRUT LOWER PIN 19146-3, SERVICE BULLETIN DVI INSPECTION OF LH/RH MLG SHOCK STRUT LOWER PIN						Bulletin ATA:32
	HRS	400		5670.5	6070.5		169.1	16-Jan-2027(2)
	MOS	24		16-Jan-25	16-Jan-27		192 d	
	AFL			2267				
Disposition: RECOMMENDED			REF: BULLETINS					
TCCA CF-2023-32 PART II LH		LANDING GEAR - DVI OF THE LH MLG SHOCK STRUT LOWER PIN LANDING GEAR - DVI OF THE LH MLG SHOCK STRUT LOWER PIN						AD ATA:32
	HRS	400		5670.5	6070.5		169.1	16-Jan-2027(2)
	MOS	24		16-Jan-25	16-Jan-27		192 d	
	AFL			2267				
Disposition: MANDATORY			REF: AD					
TCCA CF-2023-32 PART II RH		LANDING GEAR - DVI OF THE RH MLG SHOCK STRUT LOWER PIN LANDING GEAR - DVI OF THE RH MLG SHOCK STRUT LOWER PIN						AD ATA:32
	HRS	400		5670.5	6070.5		169.1	16-Jan-2027(2)
	MOS	24		16-Jan-25	16-Jan-27		192 d	
	AFL			2267				
Disposition: MANDATORY			REF: AD					



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
38-00-TUC-9056 ^U		CHECK VALVES-OPS CHCK-INTERNAL CORROSION-REPLACE IF FOUND						Service ATA:38
	HRS	200		5901.4	6101.4		200	25-Dec-2026(4)
	MOS	6 (+1m/-1m)		25-Jun-26	25-Dec-26	25-Jan-27	170 d (+31)	
	AFL			2365				
Disposition: STLMC			REF:					
38-00-TUC-9072 ^U		AIR PRESSURE REGULATOR - CHECK FOR INTERNAL CORROSION/REPLACE						Service ATA:38
	HRS	200		5901.4	6101.4		200	25-Dec-2026(4)
	MOS	6 (+1m/-1m)		25-Jun-26	25-Dec-26	25-Jan-27	170 d (+31)	
	AFL			2365				
Disposition: STLMC			REF:					
38-00-TUC-9075 ^U		AIR SUPPLY - REPLACE BLEED AIR FILTER ELEMENT						Service ATA:38
	HRS	200		5901.4	6101.4		200	25-Dec-2026(4)
	MOS	6 (+1m/-1m)		25-Jun-26	25-Dec-26	25-Jan-27	170 d (+31)	
	AFL			2365				
Disposition: STLMC			REF:					
28-21-13-201		OPERATIONAL TEST NO. 1 ENGINE FIREWALL FUEL SHUTOFF VALVE (MRB)						Service ATA:28
PN:601-62900-8	HRS	600 (+40/-40)		5528.1	6128.1	6168.1	226.7 (+40)	10-Apr-2027
SN:U26263	MOS			25-Jan-24				
	AFL			2216				
			REF: AMM 28 21 13 710 801					
28-21-13-201		OPERATIONAL TEST NO. 2 ENGINE FIREWALL FUEL SHUTOFF VALVE (MRB)						Service ATA:28
PN:601-62900-7	HRS	600 (+40/-40)		5528.1	6128.1	6168.1	226.7 (+40)	10-Apr-2027
SN:U27842	MOS			25-Jan-24				
	AFL			2216				
			REF: AMM 28 21 13 710 801					
30-22-00-101		OPERATIONAL TEST OF THE COWL ANTI-ICE FAILUREINDICATION (POST SB 604-30-004) (CMR*)						Service ATA:30
	HRS	600		5528.1	6128.1		226.7	10-Apr-2027
	MOS			25-Jan-24				
	AFL			2216				
			REF: AMM 30 22 00 710 801					
050015		600 HOUR CHECK						Package ATA:05
	HRS	600 (+40/-40)	Adj:26.3	5528.1	6154.4	6194.4	253 (+40)	12-May-2027
	MOS			25-Jan-24				
	AFL			2216				
			REF: MPD SECTION 7.1.2					

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
273504-001A		FUNCTIONAL TEST NO. 1 ANGLE OF ATTACK TRANSDUCER/SENSOR ASSY LINEARITY (27-35-04-101) (CMR*)						Service ATA:27
PN:600-59154-3	HRS	300		5858.6	6158.6		257.2	17-May-2027(2)
SN:GST03094	MOS			25-Mar-26				
	AFL			2355				
REF: AMM 27 35 04 720 801								
273504-002A		FUNCTIONAL TEST NO. 2 ANGLE OF ATTACK TRANSDUCER/SENSOR ASSY LINEARITY (27-35-04-101) (CMR*)						Service ATA:27
PN:600-59154-3	HRS	300		5858.6	6158.6		257.2	17-May-2027(2)
SN:1380	MOS			25-Mar-26				
	AFL			2355				
REF: AMM 27 35 04 720 801								
FAA 2003-22-12 PARA (N) LEFT		SPECIAL CHECK/REWORK - STALL PROTECTION SYSTEM - LEFT ANGLE-OF-ATTACK (AOA) TRANSDUCER TOLERANCE CHECK AND REWORK OF OUT-OF-TOLERANCE AOA TRANSDUCER ASSEMBLIES (AMOC AND TASK 27-35-04-101*)						AD ATA:27
	HRS	300		5858.6	6158.6		257.2	17-May-2027(2)
	MOS			25-Mar-26				
	AFL			2355				
REF: AD								
FAA 2003-22-12 PARA (N) RIGHT		SPECIAL CHECK/REWORK - STALL PROTECTION SYSTEM - RIGHT ANGLE-OF-ATTACK (AOA) TRANSDUCER TOLERANCE CHECK AND REWORK OF OUT-OF-TOLERANCE AOA TRANSDUCER ASSEMBLIES (AMOC AND TASK 27-35-04-101*)						AD ATA:27
	HRS	300		5858.6	6158.6		257.2	17-May-2027(2)
	MOS			25-Mar-26				
	AFL			2355				
REF: AD								
27-41-00-101		OPERATIONAL TEST (BITE) OF THE HORIZONTAL-STABILIZER TRIM-CONTROL SYSTEM (HSTCS) (CMR**)						Service ATA:27
	HRS	640		5528.1	6168.1		266.7	28-May-2027
	MOS			25-Jan-24				
	AFL			2216				
REF: AMM 27 41 00 740 801								
050013		400 HOUR CHECK						Package ATA:05
	HRS	400 (+40/-40)	Adj:-34.2	5834.7	6200.5	6240.5	299.1 (+40)	07-Jul-2027
	MOS			18-Dec-25				
	AFL			2347				
REF: MPD SECTION 7.1.2								
27-50-00-104		FUNCTIONAL TEST OF THE FLAP EXTENSION AND RETRACTION (FLAP HALF-SPEED TEST). (CMR*)						Service ATA:27
	HRS	400		5834.7	6234.7		333.3	18-Aug-2027
	MOS			18-Dec-25				

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
	AFL			2347				
Disposition: CMR* REF: AMM 27 50 00 720 801								
050023		1600 HOUR CHECK						Package ATA:05
	HRS	1600 (+40/-40)		4671.7	6271.7	6311.7	370.3 (+40)	02-Oct-2027
	MOS			08-Jun-18				
	AFL			1871				
REF: MPD SECTION 7.1.2								
21-31-00-101		FUNCTIONAL TEST OF THE OUTFLOW VALVES (CMR**)						Service ATA:21
	HRS	1600		4671.7	6271.7		370.3	02-Oct-2027
	MOS			08-Jun-18				
	AFL			1871				
REF: AMM 21 31 00 720 801								
24-21-00-101		FUNCTIONAL TEST GCU OVERVOLTAGE PROTECTION CIRCUITS (CMR*)						Service ATA:24
	HRS	1600		4671.7	6271.7		370.3	02-Oct-2027
	MOS			08-Jun-18				
	AFL			1871				
REF: AMM 24 20 00 720 801								
27-35-10-101		FUNCTIONAL TEST FOR THE STALL PROTECTION SYSTEM (SPS) STICK PUSHER CAPSTAN SHAFT, PART NO. 600-59156-7 (VENDOR PART NO. 501-1258-01). (CMR**)						Service ATA:27
	HRS	1600		4671.7	6271.7		370.3	02-Oct-2027
	MOS			08-Jun-18				
	AFL			1871				
REF: AMM 27 35 13 720 801								
273113-001A		FUNCTIONAL TEST OF THE NO. 1 PITCH FEEL SIMULATOR. (CMR**)						Service ATA:27
PN:600-92300-61	HRS	1600		4671.7	6271.7		370.3	02-Oct-2027
SN:10031	MOS			08-Jun-18				
	AFL			1871				
REF: AMM 27 31 13 720 801								
273113-002A		FUNCTIONAL TEST OF THE NO. 2 PITCH FEEL SIMULATOR. (CMR**)						Service ATA:27
PN:600-92300-61	HRS	1600		4671.7	6271.7		370.3	02-Oct-2027
SN:10150	MOS			08-Jun-18				
	AFL			1871				
REF: AMM 27 31 13 720 801								

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
05-00-CUS-9002 ^U		PERFORM MAINTENANCE RELEASE INSPECTION						Service ATA:00
	HRS	440		5901.4	6341.4		440	26-Jul-2027
	MOS	13		26-Jun-26	26-Jul-27		383 d	
	AFL			2365				
Disposition: CUSTOMER CODE			REF:					
761113-001A		FUNCTIONAL TEST NO. 1 THROTTLE CONTROL GEARBOX OF THE ENGINE THROTTLE CONTROL GEARBOX(76-11-00-101) (CMR**)						Service ATA:76
PN:2100140-007	HRS	1000		5392.2	6392.2		490.8	25-Feb-2028
SN:2157	MOS			06-Feb-23				
	AFL			2173				
REF: AMM 76 11 13 720 802								
761113-002A		FUNCTIONAL TEST NO. 2 THROTTLE CONTROL GEARBOX OF THE ENGINE THROTTLE CONTROL GEARBOX(76-11-00-101) (CMR**)						Service ATA:76
PN:2100140-010	HRS	1000		5392.2	6392.2		490.8	25-Feb-2028
SN:2045	MOS			06-Feb-23				
	AFL			2173				
REF: AMM 76 11 13 720 802								
FAA 1974-08-09 R03		LAVATORY PAPER OR LINEN WASTE RECEPTACLE FIRE PREVENTION						AD ATA:25
	HRS	1000		5392.2	6392.2		490.8	25-Feb-2028
	MOS			06-Feb-23				
	AFL			2173				
Disposition: MANDATORY			REF: AD					
050029		3200 HOUR CHECK						Package ATA:05
	HRS	3200 (+40/-40)	Adj:-2.7	3202.7	6400	6440	498.6 (+40)	06-Mar-2028
	MOS			28-Apr-11				
	AFL			1318				
REF: MPD SECTION 7.1.2								
050029-2		6400 HOUR CHECK						Package ATA:05
	HRS	6400 (+40/-40)		0	6400	6440	498.6 (+40)	06-Mar-2028
	MOS			06-Feb-03				
	AFL			0				
REF: MPD SECTION 7.1.2								
30-11-00-101		DETAILED INSPECTION OF THE WING ANTI-ICE DUCT PICCOLO-TUBE. (CMR**)						Service ATA:30
	HRS	6400 (+40/-40)		0	6400	6440	498.6 (+40)	06-Mar-2028
	MOS			06-Feb-03				

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
	AFL			0				
REF: AMM 30 11 07 220 801								
36-21-00-101		FUNCTIONAL TEST OF THE LEADING EDGE THERMAL SWITCHES. (CMR*)						Service ATA:36
	HRS	6400 (+40/-40)		0	6400	6440	498.6 (+40)	06-Mar-2028
	MOS			06-Feb-03				
	AFL			0				
REF: AMM 36 21 07 720 801								
27-23-00-101		OPERATIONAL TEST PCU LOAD LIMITERS (CMR**)						Service ATA:27
	HRS	3200		3202.7	6402.7		501.3	09-Mar-2028
	MOS			28-Apr-11				
	AFL			1318				
REF: AMM 27 21 25 710 801								
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K1CE) (AWL*)						Service ATA:24
PN:PN	HRS	T:800		EFF	6484.57 *		583.2	25-Feb-2027
SN:UNKNOWN	MOS	T:24		EFF	25-Feb-27 *		232 d	
	AFL							
Disposition: LIFE LIMIT REF: AMM 24 01 00 961 801								
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K2CE) (AWL*)						Service ATA:24
PN:PN	HRS	T:800		EFF	6484.57 *		583.2	25-Feb-2027
SN:UNKNOWN	MOS	T:24		EFF	25-Feb-27 *		232 d	
	AFL							
Disposition: LIFE LIMIT REF: AMM 24 01 00 961 801								
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K3CE) (AWL*)						Service ATA:24
PN:PN	HRS	T:800		EFF	6484.57 *		583.2	25-Feb-2027
SN:UNKNOWN	MOS	T:24		EFF	25-Feb-27 *		232 d	
	AFL							
Disposition: LIFE LIMIT REF: AMM 24 01 00 961 801								
24-01-00-101		DISCARD OF THE EXTENSION AND RETRACTION RELAYS (K4CE) (AWL*)						Service ATA:24
PN:PN	HRS	T:800		EFF	6484.57 *		583.2	25-Feb-2027
SN:UNKNOWN	MOS	T:24		EFF	25-Feb-27 *		232 d	
	AFL							
Disposition: LIFE LIMIT REF: AMM 24 01 00 961 801								

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: CL600-2B16 Serial: 5557 RegNo: VH-SCR HRS: 5901.4 AFL: 2365 As Of: 02
-Jul-2026 Operator: AUSTRALIAN CORPORATE JET CENTRES P/L

Report Date: 09-Jul-2026

HRS Section

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
30-40-00-301		DETAILED INSPECTION OF THE WINDSHIELD/SIDE WINDOW AERODYNAMIC SEAL.NOTE: WHICHEVER INTERVAL COMES FIRST						Service ATA:30
	HRS	600 (+40/-40)		5901.4	6501.4	6541.4	600 (+40)	23-Jun-2027(2)
	MOS	12 (+1m/-1m)		23-Jun-26	23-Jun-27	23-Jul-27	350 d (+30)	
	AFL			2365				
Disposition: OPTIONAL			REF: AMM 56 10 01 220 804					